

壹、森林資源

表1 臺灣地區國有林事業區森林面積蓄積分布

面積：公頃
單位 蓄積：（樹林）立方公尺
（竹林）支

民國105年底

機 關 別 Agency	面 積			
	Area			
	合 計 Total	百 分 比 %	有 林 木 地 Forested Land	無 林 木 地 Non-forested Land
總 計 Grand Total	1 533 691	100.00	1 396 704	136 988
羅 東 林 區 管 理 處 Luodong F. D. O.	176 304	11.50	166 733	9 571
新 竹 林 區 管 理 處 Hsinchu F. D. O.	150 364	9.80	146 081	4 282
東 勢 林 區 管 理 處 Dongshih F. D. O.	136 107	8.87	124 716	11 391
南 投 林 區 管 理 處 Nantou F. D. O.	197 874	12.90	174 806	23 068
嘉 義 林 區 管 理 處 Chiayi F. D. O.	134 075	8.74	112 589	21 486
屏 東 林 區 管 理 處 Pingtung F. D. O.	193 995	12.65	167 972	26 023
臺 東 林 區 管 理 處 Taitung F. D. O.	226 393	14.76	207 306	19 086
花 蓮 林 區 管 理 處 Hualien F. D. O.	318 580	20.77	296 500	22 080

資料來源：本局森林企劃組依據各林區管理處報送資料彙編。

- 附 註：1.表列資料總數與細數之和因四捨五入調整尾數故未盡相符。
2.有林木地除天然林及人工林外，尚包括散生地及稚樹發生地。
3.無林木地包括草生地、道路、溪流、開墾地、岩石及崩壞地等。
4.竹林不論係叢生狀竹或單桿狀竹，都一律以單支計算。

I. Forest Resources

Table 1 Distribution of the Taiwan Region Forest Area and Growing Stock in the Working Circles of National Forest

End of 2016				
蓄				積
Growing Stock				
樹 林				竹 林
Forest				Bamboo
合 計	針 葉 樹	針 闊 葉 樹	闊 葉 樹	支
Total	Conifers	Conifers, Hardwoods Mixed	Hardwoods	Culm
356 049 029	120 444 601	63 618 534	171 985 894	515 553 244
41 245 059	9 444 608	7 300 374	24 500 078	2 593 574
38 770 141	12 444 064	8 347 716	17 978 361	31 724 555
40 520 626	23 552 760	7 814 356	9 153 510	7 670 066
49 114 002	22 020 891	9 653 432	17 439 679	57 847 804
21 568 272	10 367 965	2 102 013	9 098 294	290 411 092
33 475 693	4 145 560	2 554 773	26 775 360	105 488 111
49 259 298	10 336 426	6 850 949	32 071 923	8 400 156
82 095 938	28 132 327	18 994 923	34 968 688	11 417 885

Source : From the data, which compiled by the Forest Planning Division of F.B., prepared by F.D.O..

Note : 1. Data may not add to totals because of rounding.

2. Besides the natural forest and plantation, the forested lands include mixed scattered land and young trees scattered land.

3. The non-forested lands include grass land, road, streams, cultivated land, rock and landside etc.

4. The Bamboo Forest whether it's clustered or scattered, was calculated by culm.

dolichoclada, *Bambusa oldhamii*, *Bambusa stenostachya*, and *Dendrocalamus latiflorus* are measured by bush.