

壹、森林資源

表1 臺灣地區國有林事業區森林面積蓄積分布

面積：公頃
單位 蓄積：（樹林）立方公尺
（竹林）支

民國107年底

機 關 別 Agency	面 積			
	合 計 Total	百 分 比 %	有 林 木 地 Forested Land	無 林 木 地 Non-forested Land
總 計 Grand Total	1 533 957	100.00	1 394 177	139 780
羅 東 林 區 管 理 處 Luodong F. D. O.	176 304	11.49	166 553	9 751
新 竹 林 區 管 理 處 Hsinchu F. D. O.	150 365	9.80	145 657	4 708
東 勢 林 區 管 理 處 Dongshih F. D. O.	136 112	8.87	124 922	11 190
南 投 林 區 管 理 處 Nantou F. D. O.	197 886	12.90	173 785	24 101
嘉 義 林 區 管 理 處 Chiayi F. D. O.	134 274	8.75	112 647	21 627
屏 東 林 區 管 理 處 Pingtung F. D. O.	193 965	12.64	167 753	26 212
臺 東 林 區 管 理 處 Taitung F. D. O.	226 394	14.76	207 000	19 394
花 蓮 林 區 管 理 處 Hualien F. D. O.	318 657	20.77	295 860	22 797

資料來源：本局森林企劃組依據各林區管理處報送資料彙編。

- 附 註：1.表列資料總數與細數之和因四捨五入調整尾數故未盡相符。
2.有林木地除天然林及人工林外，尚包括散生地及稚樹發生地。
3.無林木地包括草地、道路、溪流、開墾地、岩石及崩壞地等。
4.竹林不論係叢生狀竹或單桿狀竹，都一律以單支計算。

I. Forest Resources

Table 1 Distribution of the Taiwan Region Forest Area and Growing Stock in the Working Circles of National Forest

End of 2018				
蓄		積		
Growing Stock				
樹 林 Forest				竹 林 Bamboo
合 計 Total	針 葉 樹 Conifers	針 闊 葉 樹 Conifers, Hardwoods Mixed	闊 葉 樹 Hardwoods	支 Culm
359 686 132	119 938 513	63 942 716	175 804 904	512 584 611
41 222 387	9 412 903	7 337 768	24 471 716	2 787 926
38 838 366	12 239 781	8 366 518	18 232 067	31 681 337
40 627 713	23 473 310	8 054 370	9 100 033	7 767 200
49 411 618	21 849 267	9 734 359	17 827 992	54 932 700
24 015 011	10 358 135	2 096 769	11 560 114	290 330 889
34 362 369	4 149 706	2 646 068	27 566 596	105 464 763
49 245 703	10 327 782	6 844 677	32 073 241	8 349 170
81 962 966	28 127 629	18 862 187	34 973 146	11 270 626

Source : From the data, which compiled by the Forest Planning Division of F.B., prepared by F.D.O..

Note : 1. Data may not add to totals because of rounding.

2. Besides the natural forest and plantation, the forested lands include mixed scattered land and young trees scattered land.

3. The non-forested lands include grass land, road, streams, cultivated land, rock and landside etc.

4. The Bamboo Forest whether it's clustered or scattered, was calculated by culm.

dolichoclada, *Bambusa oldhamii*, *Bambusa stenostachya*, and *Dendrocalamus latiflorus* are measured by bush.