

壹、森林資源

表1 臺灣地區國有林事業區森林面積蓄積分布

機 關 別 Agency	面 積 Area			
	合 計 Total	百 分 比 %	有 林 木 地 Forested Land	無 林 木 地 Non-forested Land
總 計 Grand Total	1 533 858	100.00	1 394 098	139 760
羅 東 林 區 管 理 處 Luodong F. D. O.	176 280	11.49	166 532	9 748
新 竹 林 區 管 理 處 Hsinchu F. D. O.	150 365	9.80	145 657	4 708
東 勢 林 區 管 理 處 Dongshih F. D. O.	136 111	8.87	124 922	11 189
南 投 林 區 管 理 處 Nantou F. D. O.	197 812	12.90	173 727	24 085
嘉 義 林 區 管 理 處 Chiayi F. D. O.	134 274	8.75	112 647	21 627
屏 東 林 區 管 理 處 Pingtung F. D. O.	193 965	12.65	167 753	26 212
臺 東 林 區 管 理 處 Taitung F. D. O.	226 394	14.76	207 000	19 394
花 蓮 林 區 管 理 處 Hualien F. D. O.	318 657	20.77	295 860	22 797

資料來源：本局森林企劃組依據各林區管理處報送資料彙編。

- 附 註：1.表列資料總數與細數之和因四捨五入調整尾數故未盡相符。
 2.有林木地除天然林及人工林外，尚包括散生地及稚樹發生地。
 3.無林木地包括草地、道路、溪流、開墾地、岩石及崩壞地等。
 4.竹林不論係叢生狀竹或單桿狀竹，都一律以單支計算。

I. Forest Resources

Table 1 Distribution of the Taiwan Region Forest Area and Growing Stock in the Working Circles of National Forest

Area : ha				
Unit Growing Stock : (Forest) m ³				
End of 2022				
蓄				積
Growing Stock				
樹林				竹林
Forest				Bamboo
合 計	針 葉 樹	針 闊 葉 樹	闊 葉 樹	支
Total	Conifers	Conifers, Hardwoods Mixed	Hardwoods	Culm
360 479 753	120 367 008	64 626 550	175 486 195	516 005 524
41 216 707	9 411 075	7 335 167	24 470 465	2 758 599
38 838 366	12 239 781	8 366 518	18 232 067	31 681 337
40 627 713	23 473 310	8 054 370	9 100 033	7 767 200
50 210 923	22 279 592	10 420 795	17 510 536	58 382 940
24 015 011	10 358 132	2 096 767	11 560 112	290 330 889
34 362 369	4 149 706	2 646 067	27 566 596	105 464 763
49 245 703	10 327 783	6 844 679	32 073 241	8 349 170
81 962 962	28 127 629	18 862 187	34 973 146	11 270 626

Source : From the data, which compiled by the Forest Planning Division of F.B., prepared by F.D.O..

Note : 1. Data may not add to totals because of rounding.

2. Besides the natural forest and plantation, the forested lands include mixed scattered land and young trees scattered land.

3. The non-forested lands include grass land, road, streams, cultivated land, rock and landside etc.

4. The Bamboo Forest whether it's clustered or scattered, was calculated by culm.

dolichoclada , *Bambusa oldhamii* , *Bambusa stenostachya* , and *Dendrocalamus latiflorus* are measured by bush.